
#### 2023 CATALOG OF DREAMS

## OJTD,OOR





### "

A beautiful outdoor space should stand the test of time, every time."

~ Ed Bryant

In 1972, our founder Ed Bryant established Unilock as a leader in the hardscape sector by introducing the ground-breaking UNI-Stone<sup>®</sup> to the North American market. From there came a steady stream of innovative products and technologies that would help elevate the industry to new heights.

From choosing the best contractor, to understanding the necessary steps to take before you start digging for installation, this catalog features a variety of useful tools to help kick-start your outdoor project. We offer an extensive line of beautiful paver and wall products that have been used to design countless beautiful spaces, from backyard patios to landmark public spaces across the continent.

Today, high-quality, design-forward Unilock products, and our partnerships with the very best installers, designers, dealers and suppliers in the industry, make us uniquely capable of helping you along in your journey to create the outdoor space of your dreams. Let's pave it forward, together.



Ed Bryant, Unilock Founder





Journey in style as you discover, dream, and learn about our revolutionary Unilock products and resources.

#### DREAM 6

- 8 Discover Unilock Finishes
- 14 Dream with Unilock
- Choose your Shape 10
- Unique Touches 13

46 Unilock Best in Show

#### **PRODUCTS** 48

50	Product Categories	60	Pavers & Slabs
52	Think Green	122	Retaining Walls
54	Unilock Technologies	150	Coping, Steps & Treads

#### 156 LEARN & PLAN

- **158** Project Planning Resources
- **162** Finding the Right Contractor
- 166 Commercial Projects
- **168** Quality Commitment


164 Installation 101



# Dream

## Begin with a dream of what's possible

Imagine an outdoor space where the inspired use of patterns, textures and shapes not only creates design-envy, but elevates your world in the most beautifully functional way.




### Discover Unilock Coatings



### Feels 3x better on bare feet than ordinary pavers.

A special finishing process creates the ultra-smooth and silky surface texture of Comfort Step. This special technology results in a remarkably tight surface that is factory sealed to create a unique sensory experience that is velvety-smooth and cool underfoot.





EasyClean

Available exclusively on Elegance and select EnduraColor products, EasyClean enhances the surface color and provides integral stain resistance.

## Surface

#### **Exposed Granite**

Marble, granite and quartz particles are embedded into the product's surface and are later exposed through additional processing methods.

inishes

SERIES<sup>™</sup> TRIBECA COBBLE<sup>™</sup>



#### Antiqued

Various methods are employed to obtain this weathered, timeworn finish, but in every instance, this patina improves the appearance.

BRUSSELS BLOCK BRUSSELS DIMENSIONAL<sup>™</sup> MATTONI<sup>™</sup>

#### Brushed

ARTLINE<sup>™</sup>, IL CAMPO®



Accentuated by artistically intriguing etched lines, this surface is available exclusively from Unilock.

#### **ColorFusion**<sup>™</sup>

UMBRIANO®, ARTLINE™, U-CARA®



Color and granite particles are randomly dispersed to achieve a unique mottled surface.

COATINGS & FINISHES

#### **Enhanced Surface**

The surface of these products is enhanced using a special process to reveal a variety of distinctive colors and textures.

ARCANA<sup>™</sup> SORENO<sup>™</sup>

## Choose your Shape


#### SHAPING YOUR OUTDOOR PROJECT

Finding the right shape to fit your outdoor project is like placing the last puzzle piece on an exquisite work of art. It just fits! What's more, combine different shapes together to deliver a two-for-one hardscape punch that will elevate your artistic vision to new heights.





RECTANGLE HEX SQUARE PLANK



## What will you create?


Let your imagination run wild in the playground of Unilock paving products!








Whether you're designing a quaint backyard refuge or an ultra-modern driveway, we have a variety of paving products that'll turn your outdoor space into a little slice of heaven.





*Dick* your Pattern


#### PLAY WITH ANGLES


From herringbone to basket weave, the right angle can make all the difference! A Unilock Authorized Contractor can recommend the best laying patterns based on the products you choose.


















#### THINK OUTSIDE THE BOX


Distinct laying patterns can help define unique "rooms" across your outdoor space, giving you countless design options.

Visit Unilock.com for laying patterns.

Unique Touches

Let your creativity shine! Unilock border and banding options can help enhance your distinctive designs and add touches of elegance to your driveway, walkway, patio or vertical features.






Take it a step further with multiple borders, pixelated paver rugs or contrasting geometric grids.

#### JOINT MATERIAL



Joint material plays an important role between pavers by keeping out weeds and other debris. However, the color you choose can also have a dramatic impact on the look of your project. Your contractor can help you decide what will work best.





**Pavers:** Arcana<sup>™</sup> (Modena) with Mattoni<sup>™</sup> (Dark Charcoal) accent rug

Fire Feature, Garden Walls and Grill Island: U-Cara® Smooth (Dark Charcoal) with Architectural Coping (Charcoal) \*excluding Grill Island countertop





This polished and sophisticated modern farmhouse features a spectacular see-through fire feature with built-in TV as a centerpiece.



Pavers: Treo®Smooth (Granite) with Copthorne® (Basalt) accent and Umbriano® (French Grey) Hex inlays

**Firepit:** Brussels Dimensional System<sup>™</sup>(Limestone) with Ledgestone<sup>™</sup>(Buff) coping

**Retaining Wall, Steps, and Vertical Features:** U-Cara<sup>®</sup> Smooth (Granite Fusion) with Ledgestone (Buff) coping










A curved seat wall leads to a circular fire pit, with a sizable pool deck perfect for entertaining the family.






This fire table is a happy hour haven, where guests can laugh and linger the night away.





**Pavers:** Bristol Valley<sup>\*</sup> (Steel Mountain) with Copthorne<sup>\*</sup> (Basalt) accent

**Grill Island:** Brussels Dimensional System<sup>™</sup> (Sierra)






Pavers: Beacon Hill" Smooth (Granite Fusion) with Mattoni''' (Dark Charcoal) accent and Ledgestone'' (Buff) coping

**Walkway:** Arcana<sup>™</sup>(Modena)










**Pavers:** Beacon Hill<sup>™</sup> Smooth (Granite Fusion) with Beacon Hill Smooth (Ivory) and Copthorne<sup>®</sup> (Basalt) paver rug and accents


**Water Feature:** U-Cara<sup>®</sup> Umbriano<sup>®</sup> (French Grey and Midnight Sky) with Natural Stone (Stone Cliff Grey) coping





This modest pool deck makes a big splash, with a distinctive paver rug, water feature, and lighting for cozy vibes.






Richcliff® (Dawn Mist and Pebble Taupe) with Courtstone® (Basalt) accent and Ledgestone™ (Buff) step treads





This Craftsman home features the strikingly detailed riven texture of Richcliff, delivering classic elegance.





This sunken patio and adjacent grill island is a clever fusion of form and function that elevates this intimate space.





**Upper Patio Pavers:** Bristol Valley<sup>®</sup> (Steel Mountain) with Town Hall<sup>®</sup> (Basalt) accent

Lower Patio Pavers: Artline" Smooth (Granite Fusion) and Artline (Granite Blend II Campo\* Finish) with Town Hall (Basalt) accent

Seat Wall, Firepit and Grill Island: Lineo" Dimensional Stone (Sierra) with Ledgestone" (Buff) coping and step treads









Simple can be better! Wood-toned pavers in a herringbone pattern contrast with muted slab tones for an exquisite outdoor dining space.





Beacon Hill™ Smooth (Fossil) and Mattoni™ (Sable Blend)

Pavers: Beacon Hill<sup>™</sup> Smooth (Fossil) with Mattoni<sup>™</sup> (Dark Charcoal) accent

Walls: Lineo<sup>™</sup> Dimensional Stone (Sierra) with Mattoni (Dark Charcoal) accent and Ledgestone<sup>™</sup> (Buff) coping and trim detail









A warm and inviting fire feature and rich earth tones create a cozy gathering space for family and friends alike.

**Pavers:** Bristol Valley<sup>®</sup> (Steel Mountain) with Copthorne<sup>®</sup> (Basalt) accent

Water Feature: Lineo<sup>™</sup> Dimensional Stone (Granite) and Natural Stone (Black River) coping





A gorgeous water feature evokes tranquility, giving this linear pool deck design a touch of classy elegance.




**Pavers:** Umbriano<sup>®</sup> (Summer Wheat) with Town Hall<sup>\*</sup>(Burnt Clay) accent and Natural Stone (Golden Sand) steps










Sharp angles and bold Town Hall paving borders stylishly delineate the front walkway and backyard dining space.








There are always further heights to reach, and these angular, terraced retaining walls create this next-level, intimate outdoor gathering space.

**Pavers:** Beacon Hill<sup>™</sup> Smooth (Granite Fusion) with Mattoni<sup>™</sup> (Granite Fusion, Sable Blend and Dark Charcoal) accents and paver rug

**Retaining Wall:** SienaEdge<sup>™</sup>(Granite)

**Firepit:** U-Cara\* Pitched (Granite Fusion) with Natural Stone (Stone Cliff Grey)coping







This backyard space is an entertainer's paradise with a complete outdoor kitchen, distinct dining, lounging, and relaxing outdoor features.





**Pavers:** Umbriano<sup>®</sup> (French Grey) with Town Hall<sup>®</sup> (Basalt) accent

**Walls:** Lineo Dimensional Stone<sup>™</sup> (Granite)

Fireplace: Lineo Dimensional Stone (Granite) with Series<sup>™</sup> (Onyx Black) accent

Steps & Coping: Natural Stone (Stone Cliff Grey)



**Pavers:** Beacon Hill<sup>™</sup> Smooth (Granite Fusion) with Mattoni<sup>™</sup> (Dark Charcoal)accent


**Grill Island and Firepit:** Lineo<sup>™</sup> Dimensional Stone (Granite) with Mattoni (Dark Charcoal) accent





An L-shaped, multi-purpose outdoor kitchen with all the bells and whistles to make your chef dreams come true!







A cozy, urban vibe on two levels! Smoke the perfect brisket while your family roasts marshmallows around the fire pit.






Pavers: Arcana<sup>™</sup> (Corvara)

Walls, Steps and Grill Island: U-Cara<sup>®</sup> Umbriano (French Grey) with Natural Stone (Golden Sand) coping **Pavers:** Arcana<sup>™</sup> (Corvara) with Ledgestone<sup>™</sup> Fullnose (Grey) pool coping


**Firepit:** Lineo<sup>™</sup> Dimensional Stone (Granite) with Ledgestone Fullnose (Grey) coping

**Pillars:** Lineo Dimensional Stone (Granite) with Ledgestone (Grey) pillar cap









Geometric pavers and contrasting lines of turf deliver a mosaic-like appearance on this monochromatic pool deck.



## JR's Creative Landscaping **Best in Show Winner**



"We were able to accommodate every element the homeowners could have dreamed of."

Jim Rose

OWNER OF JR'S CREATIVE LANDSCAPING

It was creativity and craftsmanship that landed JR's Creative Landscaping this stunning, multi-dimensional backyard project. In initial planning meetings, Jim Rose, owner of JR's Creative Landscaping learned that the homeowners dreamed of having a multi-purpose backyard with several outdoor "rooms" for living and entertaining. They wanted a space where they could create lifetime memories, while lending itself to larger functions as well as intimate gatherings.

Fortunately, the 4,550 square foot area gave Jim and his team a very generous canvas to work in the many elements on the homeowners'



"The pool has become Grand Central Station in our neighborhood, but the outdoor kitchen may be my favorite space."

Patrick Borchard



wish list, which included a complete outdoor kitchen with dining area, covered living room with big screen TV, seating area with a fire feature, an in-ground pool and hot tub. "We were able to accommodate every element," says Jim. "The biggest challenge was working in the various elevations, which would add depth to the overall setting."

The multi-dimensional design incorporated several Unilock paver styles to help define the various areas. Unilock Granito hexagon-shaped pavers were laid in the "rooms" and edged with a charcoal-colored Mattoni banding. Unilock Beacon Hill Smooth pavers were laid in a random pattern, connecting the areas and bringing cohesion to the overall design. The retaining half walls, pillars, counters and the grill island feature Unilock Brussels Dimensional with natural cut Limestone coping. The finished project far surpassed the homeowners' expectations.

**Pavers:** Beacon Hill<sup>™</sup> Smooth (Granite Fusion) and Granito<sup>™</sup> Hex (Special Order) with Mattoni (Dark Charcoal) accents


Vertical Features: Brussels Dimensional System<sup>™</sup> (Limestone) with Ledgestone<sup>™</sup> (Buff) coping and pillar caps with Ledgestone Fullnose pool coping




# Products

## Capture the eye with exclusive products

From weathered cobblestone to contemporary linear, our product selection reaches beyond the horizontal to include garden walls, pillars, steps, fire tables and fountains. Rock the look that is unmistakably you, and undeniably Unilock!




## Unilock Product Categories




#### CLASSIC

Our **budget-friendly** Classic products are manufactured to exceed ASTM standards for quality and strength.




#### **ENDURACOLOR**<sup>®</sup>

The refined look of our EnduraColor products is achieved with a two-step manufacturing process that uses concentrated color and **wear-resistant** finer aggregates to protect the surface from the appearance of fading over time.





Our Elegance collection offers timeless beauty with styles you can't get anywhere else. From the classic luxury of riven natural stone slabs to the timeworn look of European cobblestones, the look you purchase is **the look that will last.**  **Project Cost** 



Choose the product you love to get the maximum enjoyment from the investment you've made below the surface.

### Don't Compromise

Many products look great when they're first installed, but after time the difference in quality shows.

In an average project, only 20% of the overall cost comes from the paver and wall products you choose, so don't be tempted to compromise.





# Think Green



Some homeowners install rainwater collection systems underneath their paver projects to supply water to in-ground sprinkler systems! More and more households are implementing permeable paver projects as a sustainable, cost-effective and environmentally friendly alternative to traditional pavers.

Developed in response to growing concerns around stormwater management, permeable pavers allow rainwater to flow between the joints of pavers and back into the subsoil. This provides a dual "green" benefit: by naturally filtering out pollutants before stormwater reaches waterways, and by providing extra moisture back into surrounding plant material.

Using permeable pavers will decrease rainwater puddling on the pavement, effectively reducing the risk of ice buildup which is a benefit particularly useful on driveways.

For homeowners who live in regions where local codes require them to reduce impervious surfaces on their lot to accommodate a new landscape feature like an in-ground pool, permeable paving is a popular alternative to conventional poured-in-place concrete or asphalt.



## Permeable Collection @

In 1991, Unilock introduced the first permeable paver to North America. Since then, we've worked to produce the most extensive collection of permeable pavers in the industry, bringing charm and aesthetic appeal to every outdoor project.

#### TOWN HALL

#### ECO-PRIORA<sup>™</sup>







#### TRIBECA COBBLE



TREO<sup>®</sup> SMOOTH



**PROMENADE PREMIER**<sup>™</sup>



PAGE 66

ECO-OPTILOC"



ECO-LINE<sup>®</sup>



#### ECO-PROMENADE



#### **Permeable Pavers**

Special materials are used in the joints and in the permeable base below, to encourage water to flow through and reach the subsoil.





Permeable pavers look similar to traditional pavers but are designed with special spacer bars that create a wider joint.

## Ultima



Only Unilock has the technology in North America to manufacture Ultima Concrete resulting in pavers **up to four times stronger** than poured concrete. With Ultima, the look you purchase is the look that will last.

Exclusive to **UNILOCK** 



Ultima Concrete is a key ingredient in the **timeless beauty** of our Elegance collection of premium pavers.

## What makes Ultima concrete so strong?

In a word, fluidity. During manufacturing, we use as little water as possible while enhancing the fluidity at the drying stage, resulting in a form that selfcompacts at the chemical level. The result is an extraordinary product that is unlike anything you'll find outside of Unilock.

#### With Ultima

Unilock Town Hall<sup>®</sup> pavers are built to last



#### Without Ultima

Deteriorating brick pavers exposed to deicing salts

## Reala

When it comes to creating **realistic textures** that are indistinguishable from brick, cobblestone, or flagstone, there is no room for compromise.

Any paver meant to imitate a classic building material needs to embody its look, its feel, and its strength.

At Unilock, we've been capturing all three since 2004 with our Reala technology.



Utilizing REALA technology, a multitude of natural stone surfaces, brick and historic cobblestones are cast to create a wide variety of **authentic textures** with consistent dimensions that are more cost efficient to install.





## How do we achieve a random appearance?

First, we cast a multitude of pavers from molds of actual flagstone, brick, and cobblestone. Then we randomize the casting process. With so much variation between molds, we can then ensure that any paver installation avoids repetition, no matter how large or small the project.



## EasyClean





What does this mean for stains?

Any spill that does manage to land on an EasyClean paver can be quickly and easily wiped away – no deep scrubbing or heavy cleaners needed.

Exclusive to **UNILOCK** 

Unlike after-market sealers which merely coat the top, EasyClean goes beyond the surface and becomes integral to the product during manufacturing. The result is enhanced surface color, and stain resistance. AFTE

With EasyClean

Stains set for thirty minutes, then removed with damp paper towel, hand scrub brush and mild soap.

#### **EASYCLEAN ADVANTAGES**

Without EasyClean

Pavers are pre-sealed at the factory

Enhanced resistance to weathering

Reduced dirt absorption

Stains from leaves, coffee, ketchup, mustard, wine and BBQ oils are easier to remove



## ColorFusion

#### Exclusive to **UNILOCK**



ColorFusion is made with the same durable concrete and fortifying manufacturing processes that make Unilock pavers last for decades. Our commitment to beautiful, long-lasting hardscaping products is what built our reputation, and we honor that commitment through continued innovation.

#### UNILOCK PAVER REFERENCE GUIDE

Arana"ImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImageImage <t< th=""><th>UNILOCK PAVERS</th><th>Classic</th><th>EnduraColor</th><th>Elegance</th><th>Comfort Step</th><th>EasyClean</th><th>Reala</th><th>Ultima</th><th>ColorFusion</th><th>Permeable</th><th>Vehicular</th></t<>	UNILOCK PAVERS	Classic	EnduraColor	Elegance	Comfort Step	EasyClean	Reala	Ultima	ColorFusion	Permeable	Vehicular
Beacon Hill "FlagstomeI.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.I.e.<	Arcana™		٠			٠					
Beacen Hill SmothIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII.	Artline™		٠								
Beacen Hill Smooth 80mmImage of the sector of t	Beacon Hill™ Flagstone		٠								
Bollevard"Image: set of the se	Beacon Hill Smooth		٠								
Bristol Valley'InInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInInIn </td <td>Beacon Hill Smooth 80mm</td> <td></td> <td>٠</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>٠</td>	Beacon Hill Smooth 80mm		٠								٠
Hensels Block'••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••600 former600 forme	Boulevard™		•								
Camelor*•········································································································································································································· </td <td>Bristol Valley®</td> <td></td> <td>•</td> <td></td> <td>٠</td> <td>٠</td> <td></td> <td></td> <td></td> <td></td> <td></td>	Bristol Valley®		•		٠	٠					
Cophone'Image: selection of the	Brussels Block®	•									٠
Courtstone'IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Camelot™	•									٠
Eco-Line'Image: second transmission of the second	Copthorne®			٠		٠	•	•			٠
Eco-Optiloc"IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII <th< td=""><td>Courtstone®</td><td></td><td></td><td>٠</td><td></td><td>٠</td><td>•</td><td>•</td><td></td><td></td><td>٠</td></th<>	Courtstone®			٠		٠	•	•			٠
Eco-Priora"•••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••••*•*•*•*•*<	Eco-Line*		•							٠	٠
Eco-Promenade'InInInInInInInInHex' PaverIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Eco-Optiloc™	٠								٠	٠
Hex*PaverImage: selection of the	Eco-Priora <sup>™</sup>	٠								٠	•
Hollandstone"•IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII <t< td=""><td>Eco-Promenade®</td><td></td><td>٠</td><td></td><td></td><td></td><td></td><td></td><td></td><td>٠</td><td>٠</td></t<>	Eco-Promenade®		٠							٠	٠
Holland Premier"IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII <td>Hex™Paver</td> <td></td> <td>•</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>٠</td>	Hex™Paver		•								٠
II Campo'InIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndexIndex <th< td=""><td>Hollandstone™</td><td>•</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>•</td></th<>	Hollandstone™	•									•
Mattoni"Image: selection of the	Holland Premier™		٠								•
Promenade "PlankImage: series of the series of	ll Campo <sup>°</sup>		٠								٠
Promenade PremierImage: start of the start of	Mattoni™		٠								٠
Richcliff*Image: series and se	Promenade <sup>™</sup> Plank		•								٠
Series"Image: series of the serie	Promenade Premier		٠							•*	٠
Skyline"       Image: Skyline in the stress of	Richcliff®		•	٠		٠	•	•			٠
Soreno"Image: second secon	Series™		٠								٠
Treo Premier"Image: Second	Skyline™		•								
Tree*Smooth*Image: state of the	Soreno™		•		•	٠					
Town Hall*       Image: Cobble in the second s	Treo Premier™		•							•	•
Tribeca Cobble" •   Thornbury" •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • •   • • <td< td=""><td>Treo<sup>®</sup> Smooth<sup>®</sup></td><td></td><td>•</td><td></td><td></td><td></td><td></td><td></td><td></td><td>•</td><td>•</td></td<>	Treo <sup>®</sup> Smooth <sup>®</sup>		•							•	•
Thornbury <sup>™</sup> Image: Second	Town Hall*			٠		٠	٠	•		٠	٠
Umbriano*     ••       Umbriano Slabs     ••	Tribeca Cobble™		٠							٠	٠
Umbriano*     ••       Umbriano Slabs     ••	Thornbury™		•							٠	٠
			٠			٠			٠		•*
Westport <sup>™</sup>	Umbriano Slabs		•			٠			٠		•*
	Westport™	٠									٠

\* See product page for details.

#### UNILOCK WALL REFERENCE GUIDE

UNILOCK WALLS	Classic	EnduraColor	ColorFusion	Two-Sided	Garden	Engineered
<b>Brussels</b> Dimensional	٠			٠	۰	
Estate Wall™	٠			٠	۰	
Lineo" Dimensional	٠			٠	۰	
Pisa™	٠				۰	٠
Pisa XL	٠				•	•
Pisa Smooth XL	٠				•	•
RomanPisa™						
SienaEdge™	٠			٠		•
SienaStone™	٠			٠		•
Split'NStack™	۰			٠	۰	
U-Cara*		•	٠	•	•	•

UNILOCK STEPS	Classic	Reala	Natural
Ledgestone™		٠	
SienaEdge	٠		
SienaStone	٠		
Natural Stone Sandstone			•
Natural Stone Limestone			•

#### **COPING PAIRINGS REFERENCE GUIDE**

UNILOCK COPINGS	Architectural	Ledgestone	Universal	Natural Stone	Fullnose	Pisa
<b>Brussels</b> Dimensional	٠	٠	٠	٠	•	
Lineo Dimensional Stone	٠	٠		٠	•	
Estate Wall	•	٠		•	•	
Pisa	•	٠	•	•	•	•
Pisa Smooth XL	•	٠	٠	٠	•	•
RomanPisa	•	٠	٠	٠	•	•
U-Cara	٠	٠	٠	٠		



Scan here to access our complete index of paver and wall products.



## Pavers & Slabs

From traditional shapes and textures to the most advanced technology and unique styles, the choices available in our paver collection are unrivaled in the industry.



### Brussels Block<sup>\*</sup>










SIERRA

INDIVIDUAL UNITS DRIVE FRIENDLY



LIMESTONE



STANDARD STONE 6<sup>4</sup>/<sub>5</sub> x 8<sup>1</sup>/<sub>5</sub> x 2<sup>3</sup>/<sub>4</sub>" 173 x 208 x 70mm



HALF STONE 4½ x 6½ x 2¾" 104 x 173 x 70mm Antiqued Finish

**FULLNOSE COPING** 57% x 114/5 x 2<sup>3</sup>/8" 150 x 300 x 60mm

Non-antiqued coping also available see page 155.

Color selection should be chosen from actual samples.

Sandstone with Copthorne® accents



## Westport<sup>™</sup>







GRANITE

RIVER

SIERRA

3 UNIT RANDOM BUNDLE DRIVE FRIENDLY



LARGE RECTANGLE 10 x 15 x 2<sup>3</sup>/4" 254 x 380 x 70mm



SQUARE 10 x 10 x 2¾" 254 x 254 x 70mm



RECTANGLE 5 x 10 x 2¾" 127 x 254 x 70mm

Color selection should be chosen from actual samples.



### Camelot™







SIERRA

#### INDIVIDUAL UNITS DRIVE FRIENDLY



GRANITE

RECTANGLE 6 x 9 x 2¾" 150 x 225 x 60mm



RIVER

SQUARE 6 x 6 x 2¾" 150 x 150 x 60mm



## Hollandstone











CHARCOAL

RUSTIC RED

RIVER

#### **STANDARD** DRIVE FRIENDLY



4 x 8 x 2¾" 100 x 200 x 60mm







RIVER

**INDIVIDUAL UNITS** PERMEABLE DRIVE FRIENDLY



LARGE SQUARE 10 x 10 x 3<sup>1</sup>/<sub>8</sub>" 240 x 240 x 80mm SPECIAL ORDER



RECTANGLE 5 x 10 x 31/8" 120 x 240 x 80mm



## Eco-Optiloc<sup>®</sup> 🖉





NATURAL

RIVER


**STANDARD** PERMEABLE DRIVE FRIENDLY



10¼ x 10¼ x 3⅛" 260 x 260 x 80mm



#### ENDURACOLOR



8 UNIT RANDOM BUNDLE PERMEABLE DRIVE FRIENDLY



3 x 9 x 4" 84 x 237 x 100mm



3 x 11 x 4" 84 x 277 x 100mm



4½ x 9 x 4" 114 x 237 x 100mm



4½ x 11 x 4" 114 x 277 x 100mm



3 x 12½ x 4" 84 x 317 x 100mm



4½ x 12½ x 4" 114 x 317 x 100mm



3 x 14 x 4" 84 x 357 x 100mm



4½ x 14 x 4" 114 x 357 x 100mm

#### SPECIAL ORDER ONLY PRODUCT

Eco-Line can be manufactured in a variety of custom **EnduraColor** and **Classic** colors and textures. Minimum quantities may apply. Please contact your Unilock<sup>®</sup> representative for more details.

Color selection should be chosen from actual samples.



### Eco-Promenade<sup>®</sup> ⊘

#### SPECIAL ORDER ONLY PRODUCT

Eco-Line can be manufactured in a variety of custom **EnduraColor** and **Classic** colors and textures. Minimum quantities may apply. Please contact your Unilock<sup>\*</sup> representative for more details.

INDIVIDUAL UNIT PERMEABLE DRIVE FRIENDLY



27⁄8 x117⁄8 x 37⁄8" 76 x 300 x 100mm



#### **ENDURACOLOR**<sup>®</sup>







МОСНА




DARK CHARCOAL

**STANDARD** DRIVE FRIENDLY



4 x 8 x 2<sup>3</sup>/4" 100 x 200 x 70mm Brushed Finish



#### 

## Holland Premier









IVORY NEW



MOCHA

DARK CHARCOAL


GRANITE FUSION

FOSSIL






4 x 8 x 2³⁄8" 100 x 200 x 60mm



## Mattoni™

#### Exclusive to **UNILOCK**









Antiqued Finish

COCOA BROWN

GRANITE FUSION

SABLE BLEND

DARK CHARCOAL

**STANDARD** DRIVE FRIENDLY



2<sup>3</sup>⁄<sub>8</sub> x 9<sup>1</sup>⁄<sub>2</sub> x 2<sup>3</sup>⁄<sub>4</sub>" 60 x 240 x 70mm



## Beacon Hill<sup>®</sup> Flagstone



BIRCH



GRANITE FUSION



RIVER BLEND



SIERRA



WALNUT

3 UNIT RANDOM BUNDLE PEDESTRIAN ONLY



LARGE RECTANGLE 15 x 22<sup>1</sup>/<sub>2</sub> x 2<sup>3</sup>/<sub>8</sub>" 380 x 570 x 60mm



LARGE RECTANGLE  $15 \times 22^{1/2} \times 2^{3/8}$ " 380 x 570 x 60mm




BEACON HILL FLAGSTONE

SMALL RECTANGLE

190 x 380 x 60mm

71/2 x 15 x 23/8"



## Beacon Hill<sup>®</sup> Smooth



FOSSIL



GRANITE FUSION

OPAL





TUSCANY **NEW** Not available in Slab

3 UNIT RANDOM BUNDLE PEDESTRIAN ONLY



LARGE RECTANGLE 15 x 22½ x 2¾" 380 x 570 x 60mm



15 x 15 x 2³⁄₀" 380 x 380 x 60mm

**NEW FOR 2023** 

**DRIVE FRIENDLY** 

**80 MM RANDOM BUNDLE** 

Granite Fusion and Fossil only

SQUARE



SMALL RECTANGLE 7<sup>1</sup>⁄<sub>2</sub> x 15 x 2<sup>3</sup>⁄<sub>8</sub>" 190 x 380 x 60mm

**SLAB** PEDESTRIAN ONLY




XL UNIT 22½ x 37½ x 2¾ 570 x 950 x 60mm

## NEW SMALL RECTANGLE PEDESTRIAN ONLY










7½ x 15 x 2¾" 190 x 380 x 60mm BEACON HILL SMOOTH

FOSSIL

DARK CHARCOAL



**orgeneration** comfort step... Ultra-smooth surface texture





## Bristol Valley<sup>\*</sup>

#### Exclusive to **UNILOCK**





STEEL MOUNTAIN

3 UNIT RANDOM BUNDLE PEDESTRIAN ONLY



**BAVARIAN BLEND** 

LARGE RECTANGLE 15 x 22½ x 2¾" 380 x 570 x 60mm



FOSSIL

SQUARE 15 x 15 x 2¾" 380 x 380 x 60mm



SMALL RECTANGLE  $7\frac{1}{2} \times 15 \times 2\frac{3}{8}$ " 190 x 380 x 60mm

NEW SLAB PEDESTRIAN ONLY



XL UNIT 22½ x 37¾ x 2¾" 570 x 950 x 60mm



## Boulevard™







RIVER

GRANITE FUSION

SIERRA

3 UNIT RANDOM BUNDLE DRIVE FRIENDLY



LARGE RECTANGLE 12 x 24 x 2<sup>3</sup>/4" 305 x 610 x 70mm



 $\begin{array}{l} \mbox{MEDIUM RECTANGLE} \\ 12 \ x \ 18 \ x \ 2^{3} \ 4^{"} \\ \ 305 \ x \ 457 \ x \ 70 \ mm \end{array}$ 



SQUARE 12 x 12 x 2¾" 305 x 305 x 70mm



## Thornbury





FOSSIL

SIERRA

3 UNIT RANDOM BUNDLE PERMEABLE DRIVE FRIENDLY




LARGE RECTANGLE 13<sup>3</sup>⁄4 x 161⁄2 x 2<sup>3</sup>⁄4" 350 x 420 x 70mm



MEDIUM RECTANGLE 13<sup>3</sup>⁄4 x 81⁄4 x 2<sup>3</sup>⁄4" 350 x 210 x 70mm



SMALL RECTANGLE 67/8 x 81/4 x 2<sup>3</sup>/4" 173 x 210 x 70mm



## New

Treo<sup>®</sup> Smooth @







GRANITE FUSION

FOSSIL

TUSCANY

3 UNIT RANDOM BUNDLE PERMEABLE DRIVE FRIENDLY



LARGE RECTANGLE 9¼ x 13¾ x 2¾" 233 x 349.5 x 60mm



SQUARE 9¼ x 9¼ x 2¾" 233 x 233 x 60mm



SMALL RECTANGLE 4<sup>5</sup>/<sub>8</sub> x 9<sup>1</sup>/<sub>4</sub> x 2<sup>3</sup>/<sub>8</sub>" 116.5 x 233 x 60mm



## Treo<sup>®</sup> Premier







SIERRA

GRANITE FUSION

RIVER

3 UNIT RANDOM BUNDLE DRIVE FRIENDLY



LARGE RECTANGLE 8% x 13¼ x 2¾" 225 x 338 x 60mm



SQUARE 8½ x 8½ x 2¾" 225 x 225 x 60mm



SMALL RECTANGLE 4½ x 8¾ x 2¾" 112 x 225 x 60mm








ONYX BLACK

**INDIVIDUAL UNIT** DRIVE FRIENDLY



Exposed Granite



## Artline







GRANITE FUSION



IL CAMPO FINISH

BIRCH

FOSSIL

031011

**7 UNIT RANDOM BUNDLE** DRIVE FRIENDLY  $47/_{8} \times 6^{3/_{4}} \times 2^{3/_{4}^{n}}$   $47/_{8} \times 10^{3/_{6}} \times 2^{3/_{4}^{n}}$   $47/_{8} \times 10^{3/_{6}} \times 2^{3/_{4}^{n}}$   $47/_{8} \times 17^{3/_{4}} \times 2^{3/_{4}^{n}}$   $125 \times 450 \times 70 \text{mm}$   $47/_{8} \times 17^{3/_{4}} \times 2^{3/_{4}^{n}}$   $125 \times 450 \times 70 \text{mm}$   $7/_{2} \times 17^{3/_{4}} \times 2^{3/_{4}^{n}}$   $7/_{2} \times 13^{3/_{8}} \times 2^{3/_{4}^{n}}$   $125 \times 338 \times 70 \text{mm}$   $7/_{2} \times 17^{3/_{4}} \times 2^{3/_{4}^{n}}$   $7/_{2} \times 17^{3/_{4}} \times 2^{3/_{4}^{n}}$   $125 \times 338 \times 70 \text{mm}$   $7/_{2} \times 17^{3/_{4}} \times 2^{3/_{4}^{n}}$   $188 \times 450 \times 70 \text{mm}$ 




Opal Blend, Steel Grey Blend, Granite Blend and Black Granite with Beacon Hill<sup>™</sup> Slab (Opal) walkway

## Promenade<sup>®</sup> Plank Paver

					SPECIAL ORDER PRODUCT Minimum quantities may apply
SMOOTH FINISH D	RIVE FRIENDLY				
OPAL BLEND		STEEL GREY BLEND		SANDSTONE 4x12 Only	
	3 x 24 x 4" 200 x 600 x 100mm		4 x 16 x 4" 100 x 400 x 100mm		4 x 12 x 4" 100 x 300 x 100mm
IL CAMPO FINISH	DRIVE FRIENDLY				Brushed Finish
LIGHT GREY		GRANITE BLEND		DARK CHARCOAL	
	x 24 x 4" 00 x 600 x 100mm	4 x 12 100 x 3	x 4" 300 x 100mm		
SERIES FINISH DR	IVE FRIENDLY				Exposed Granite
			8 x 24 x 4" 200 x 600 x 100mm		4 x 12 x 4" 100 x 300 x 100mm

PROMENADE PLANK PAVER

BLACK GRANITE



TOP Arctic Grey and Nordic Star

BOTTOM Opal and Medium Grey (Smooth), French Grey (Umbriano), Dark Charcoal and Nordic Star (Series) blend

## Promenade Premier



4 x 12 x 31⁄8" 100 x 300 x 80mm

**SMOOTH FINISH** DRIVE FRIENDLY







DARK CHARCOAL

#### UMBRIANO' FINISH DRIVE FRIENDLY

ColorFusion™







FRENCH GREY

MIDNIGHT SKY

WINTER MARVEL

OPAL

SERIES<sup>™</sup> FINISH PERMEABLE DRIVE FRIENDLY


Exposed Granite





ARCTIC GREY

NORDIC STAR



Hex™



#### GRANITE FUSION



DARK CHARCOAL

**HEX** DRIVE FRIENDLY



8 x 8 x 2¾" 200 x 200 x 70mm









COBALT GREY

PEPPERED GRANITE

3 UNIT RANDOM BUNDLE PERMEABLE DRIVE FRIENDLY



LARGE RECTANGLE 51% x 12 x 2<sup>3</sup>/4" 130 x 305 x 70mm



MEDIUM RECTANGLE 51/8 x 9 x 2<sup>3</sup>/4" 130 x 230 x 70mm



 $\begin{array}{l} \text{SMALL RECTANGLE} \\ 5\% x \, 7 \, x \, 2\% \\ 130 \, x \, 175 \, x \, 70 \text{mm} \end{array}$ 

Color selection should be chosen from actual samples.

Exposed Granite



#### COLORFUSION<sup>™</sup> Subtly mottled color finish






## Umbriano<sup>®</sup> 60mm

#### Exclusive to **UNILOCK**



FRENCH GREY



GRENADA WHITE **NEW** 60mm only





WINTER MARVEL

3 UNIT RANDOM BUNDLE PEDESTRIAN ONLY -



LARGE RECTANGLE 14 x 21 x 23/8" 360 x 540 x 60mm



SQUARE 14 x 14 x 2<sup>3</sup>/8" 360 x 360 x 60mr

SUMMER WHEAT




SMALL RECTANGLE  $7 \times 14 \times 2^{3/8}$ " 180 x 360 x 60mm

80 MM DRIVE FRIENDLY ALSO AVAILABLE

**SLAB** PEDESTRIAN ONLY



21 x 35 x 2<sup>3</sup>/8" 540 x 890 x 60mm Also available in Midnight Sky (See page 97 for color)




HEX PERMEABLE DRIVE FRIENDLY



HEX 8×8×2¾" 200×200×60mm 《





## ENDURACOLOR

#### COLORFUSION<sup>™</sup> Subtly mottled color finish





## Umbriano<sup>®</sup> 70mm

Exclusive to **UNILOCK** 




FRENCH GREY

SUMMER WHEAT



WINTER MARVEL



MIDNIGHT SKY 8x24 and 8x16 only

INDIVIDUAL UNITS DRIVE FRIENDLY



12 x 24 x 2¾ 300 x 600 x 70mm



8 x 24 x 2¾" 200 x 600 x 70mm



16 x 16 x 2¾" 400 x 400 x 70mm



8 x 16 x 2¾ 200 x 400 x 70mm




HEX 8 x 8 x 2<sup>3</sup>/4" 200 x 200 x 70mm

SLAB PEDESTRIAN ONLY -



24 x 24 x 2<sup>3</sup>⁄4" 600 x 600 x 70mm



Easy Clean Factory sealed for integral stain resistance



## Arcana

Exclusive to **UNILOCK** 







## Skyline™





Perfect for roof decks and other raised floor applications.

SILVER GREY

CHAMOIS


#### **SLAB** PEDESTRIAN ONLY



237⁄8 x 237⁄8 x 2" 606 x 606 x 50mm



**Unilock Pedestal System** Contact your local Unilock Rep for more information.



Ultra-smooth surface texture





Soreno™ New

Exclusive to **UNILOCK** 



TOSCANA BEIGE **NEW** 

**SPECIAL ORDER PRODUCT** *Minimum quantities may apply* 

SLAB PEDESTRIAN ONLY

LIGHT GRANITE NEW



16 x 32 x 2" 40 7x 813 x 50mm Enhanced Surface





TOP Indian Coast

LEFT Stone Cliff Grey

**RIGHT** Black River with Lineo Dimensional Stone (Granite Fusion) wall

## Natural Stone

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.







#### GOLDEN SAND SANDSTONE



#### INDIAN COAST SANDSTONE



IVORY SAND SANDSTONE

STONE CLIFF GREY SANDSTONE



BLACK RIVER LIMESTONE



WINTER MIST LIMESTONE

IER MIST LIMESTON

4 UNIT RANDOM BUNDLE PEDESTRIAN ONLY



12 x 24 x <sup>7</sup>/<sub>8</sub>" 300 x 600 x 22mm

24 x 24 x 1/8"

600 x 600 x 22mm



18 x 24 x ¾" 450 x 600 x 22mm

> 24 x 36 x <sup>7</sup>/8" 600 x 900 x 22mm

PAGE 154 FOR STEPS & COPING

## Porcelain Tile

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

#### ADELCONCA USA

Please contact your contractor or a local Unilock Authorized Dealer for more information and availability.

#### 24 x 24 PEDESTRIAN ONLY



#### GOTHAM GREY



TRAVSTONE GREY





CHAMONIX BIANCO

TRAVSTONE BEIGE

GOTHAM NERO



#### GOTHAM BIANCO



CHAMONIX GREY



WEST 57TH GREY



CHAMONIX DARK GREY

WEST 57TH BIANCO



23<sup>5</sup>/8 x 23<sup>5</sup>/8 x <sup>3</sup>/4" 600 x 600 x 20mm

#### 16 x 48 PEDESTRIAN ONLY



#### MONTEVERDE BEIGE



MONTEVERDE GREY



MONTEVERDE NOCE




16 x 48 x ¾" 400 x 1200 x 20mm



Gotham Bianco

PORCELAIN TILE

#### 16 x 32 PEDESTRIAN ONLY





TRAVSTONE BEIGE

GOTHAM GREY




12 x 12 x 7⁄8" 300 x 300 x 22mm



12 x 24 x 1/8" 300 x 600 x 22mm

24 x 24 x 1/8" 600 x 600 x 22mm






# Richcliff®

#### EXCLUSIVE TO **UNILOCK**

Inspired by the texture of natural cut flagstone, Richcliff offers superior durability and timeless appeal ideal for driveways, patios, walkways and commercial projects.

A multitude of stone textures were cast using Reala<sup>™</sup> Technology, to ensure that finished projects will have a completely random and natural appearance. And unlike natural stone, which can crack, split and fade, Richcliff is virtually indestructible.







#### ULTIMA™

Up to 4x stronger than poured-in-place concrete

REALA<sup>™</sup>

Cast from natural stone Factory sealed for integral stain resistance



# Richcliff

Exclusive to **UNILOCK** 







PEBBLE TAUPE



PEBBLE TAUPE / DAWN MIST Blended on Site

**3 UNIT RANDOM BUNDLE** DRIVE FRIENDLY



RECTANGLE 12 x 9 x 2<sup>3</sup>/<sub>8</sub>" 300 x 226 x 60mm



SQUARE 9 x 9 x 23%" 226 x 226 x 60mm



SMALL RECTANGLE 6 x 9 x 23%" 150 x 226 x 60mm








# Courtstone®

#### EXCLUSIVE TO **UNILOCK**

The polished look of Courtstone brings a luxurious, old-world elegance, with Ultima<sup>™</sup> Concrete Technology providing up to four times the strength of conventional poured concrete.

The unique shapes of Courtstone are cast from real European cobblestones using Reala<sup>™</sup> Technology, but manufactured with a consistent base for efficient installation and superior interlock.







#### ULTIMA<sup>™</sup>

Up to 4x stronger than poured-in-place concrete

REALA<sup>™</sup>

Cast from historical cobblestones





# Courtstone

#### Exclusive to **UNILOCK**




BASALT

#### 5 UNIT RANDOM BUNDLE DRIVE FRIENDLY










LARGE RECTANGLE  $5\frac{1}{8} \times 7\frac{1}{4} \times 2\frac{3}{8}$ " 130 x 185 x 60mm

SMALL RECTANGLE 51% x 53⁄4 x 23⁄8" 130 x 145 x 60mm



SQUARE 5½ x 5½ x 2¾" 130 x 130 x 60mm








# Town Hall®

#### EXCLUSIVE TO **UNILOCK**

Modeled after historic North American clay street pavers, Town Hall is perfect for any traditional or permeable applications. The rich colors and classic shape also make it a popular border or accent paver.

Town Hall textures were cast from a multitude of different surfaces using Reala<sup>™</sup> Technology, for a vintage, streetscape charm that stands the test of time.







#### ULTIMA<sup>™</sup>

Up to 4x stronger than poured-in-place concrete

REALA<sup>™</sup>

Cast from historical brick Factory sealed for integral stain resistance



# Town Hall®

#### Exclusive to **UNILOCK**



BURGUNDY RED



3 COLOR BLEND Blended on Site



BURNT CLAY




OLD OAK








4 x 9¾ x 2¾" 100 x 250 x 70mm



TOWN HALL






# Copthorne®

#### EXCLUSIVE TO UNILOCK

Inspired by the rich color and timeworn beauty of European street pavers, Copthorne offers more delicate dimensions than Town Hall. These proportions make it possible to design curved walkways and borders without the need for cutting.

Cast using Reala Technology for an authentic surface appearance, and Ultima Concrete Technology to deliver up to four times the strength of conventional poured concrete, Copthorne offers timeless beauty.







#### ULTIMA™

Up to 4x stronger than poured-in-place concrete REALA<sup>™</sup>

Cast from historical brick EasyClean Factory sealed for integral stain resistance



COPTHORNE

# Copthorne

#### Exclusive to **UNILOCK**



**BURGUNDY RED** 



3 COLOR BLEND Blended on Site



BURNT CLAY



OLD OAK




STANDARD DRIVE FRIENDLY




21/2 x 77/8 x 23/8" 65 x 200 x 60mm





Unlimited creative possibilities exist for retaining soil or building vertical features like grill islands and firepits. Now the durability of EnduraColor<sup>™</sup> is available, thanks to our U-Cara<sup>®</sup> Fascia Panels.

Pavers: Treo<sup>®</sup> Smooth (Granite Fusion) with Copthorne<sup>®</sup> (Basalt) accent Wall: U-Cara<sup>®</sup> Wall Mount System with U-Cara Smooth Fascia Panels (Granite Fusion)





 $\textbf{TOP} \qquad \text{Fossil Pitched with Fossil Smooth backsplash and Beacon Hill} ~~ \text{Flagstone pavers}$ 

 $\textbf{LEFT} \quad \textbf{Umbriano}^\circ \, French\, \textbf{Grey with Natural Stone Coping}$ 

RIGHT~ Granite Smooth with Series  ${}^{\Join}$  Onyx Black accent and Arcana  ${}^{\Join}$  slabs



### **ENDURACOLOR**<sup>®</sup>

# U-Cara<sup>®</sup> Multi-Face Wall System

This patented wall system, exclusive to Unilock, represents a revolution in wall design. With U-Cara it's now possible to design walls, pillars, planters, fire features, grill islands and more, with the refined surface and long-lasting color of exclusive Unilock EnduraColor finishes.

### FASCIA PANELS

#### **SMOOTH PANEL**





FOSSIL

FOSSIL



DARK CHARCOAL

**GRANITE FUSION** 

#### PITCHED PANEL






GRANITE FUSION

#### UMBRIANO PANEL









MIDNIGHT SKY



SUMMER WHEAT

WINTER MARVEL

SERIES 3" PANEL






reddot

U-Cara received the "red dot" award for high design quality and innovation.

2019






- **TOP** Granite Pitched with Beacon Hill<sup>™</sup> Smooth (Granite) slabs
- $\textbf{LEFT} \quad \text{Granite Pitched with Umbriano}^{\circ} \, \text{Midnight Sky accent and Natural Stone coping}$
- $\textbf{RIGHT} \quad \texttt{Granite Pitched with Umbriano French Grey and Mattoni}^{\texttt{``}}(\texttt{Dark Charcoal}) \texttt{accents}$




### **ENDURACOLOR**<sup>®</sup>


# U-Cara<sup>®</sup> Multi-Face Wall System



## U-Cara<sup>®</sup> Modular System

Our U-Cara Modular System offers a variety of aluminium frames that can be mixed and matched to construct vertical features like grill islands, fire features and pillars.









Speak to your contractor to select a design and a U-Cara fascia panel finish to suit your project.

## U-Cara<sup>®</sup> Wall Mount System

The U-Cara Wall Mount System allows you to put the finishing touches on your project by cladding existing structures with U-Cara fascia panels.


Create matching vertical features with the U-Cara Modular System to complete your cohesive design.







Ideal for garden sheds, wing walls, exposed foundation, existing steps or concrete and wood substrates.





**TOP** Granite with Richcliff° (Dawn Mist) pavers

 $\textbf{LEFT} \quad \text{Sierra with Artline}^{^{\tiny \mbox{\tiny T}}}(\text{Fossil}) \text{ pavers}$ 

**RIGHT** Granite with Series<sup>™</sup> (Onyx Black) accent and Ledgestone<sup>™</sup> Pillar Cap (Grey)



## Lineo<sup>™</sup> Dimensional Stone





GRANITE

FIELDSTONE NEW



SIERRA

4 UNIT RANDOM BUNDLE









4 x 12 x 8" 100 x 300 x 200mm



**PILLAR / CORNER** 4 x 12 x 8" 100 x 300 x 200mm



**UNIVERSAL BASE UNIT** 19 x 14 x 2" 482 x 355 x 55mm



**ARCHITECTURAL PILLAR CAP** 28 x 28 x 3" 711 x 711 x 75mm







- $\textbf{LEFT} \quad \text{Sierra with Ledgestone}^{\texttt{M}} \, Fullnose(Buff) coping$
- $\textbf{RIGHT} \quad \text{River with Ledgestone (Buff) coping}$



# Estate Wall<sup>™</sup>







GRANITE

RIVER

SIERRA

#### **3 UNIT RANDOM BUNDLE**



LARGE UNIT 9 x 16 x 6" 230 x 380 x 150mm



MEDIUM UNIT 9 x 12 x 6" 230 x 320 x 150mm



SMALL UNIT 9 x 9 x 6" 230 x 230 x 150mm



**CORNER** 9 x 12½ x 6" 230 x 320 x 150mm



**UNIVERSAL BASE UNIT** 19 x 14 x 2" 482 x 355 x 55mm





 TOP
 Sandstone with Series" (Onyx Black) accent and Brussels Block\* (Sandstone) pavers

 LEFT
 Sierra with Bristol Valley\* (Steel Mountain) and Copthorne\* (Basalt) accent pavers

 RIGHT
 Sandstone with Brussels Fullnose" (Sandstone) coping with Copthorne\* (3 Color Blend) accent



# Brussels Dimensional System<sup>®</sup>









LIMESTONE



DARK CHARCOAL **NEW** Standard only

RIVER

Antiqued Finish

SANDSTONE

STANDARD

300 x 100 x 200mm

12 x 4 x 8"

SIERRA

A

SMALL TAPERED

229 x 100 x 200mm

9 x 3<sup>7</sup>/<sub>8</sub> x 7<sup>7</sup>/<sub>8</sub>"



**UNIVERSAL BASE UNIT** 19 x 14 x 2" 482 x 355 x 55mm

SUNSET FIREPIT KITS

Round

Square



Round and Square fire pit inserts sold separately. See page 145 for additional information.

# Dimensional Smooth<sup>\*\*</sup>







LIMESTONE




DARK CHARCOAL







**UNIVERSAL BASE UNIT** 19 x 14 x 2" 482 x 355 x 55mm



Pisa™



GRANITE



RIVER



SIERRA



STANDARD 8 x 12 x 6" 200 x 300 x 150mm



TAPERED

8 x 12 x 6"

CORNER 12 x 6 x 8" 200 x 300 x 150mm 300 x 150 x 200mm



COPING 12 x 12 x 3" 300 x 300 x 75mm



UNIVERSAL BASE UNIT 14 x 19 x 2" 355 x 482 x 55mm



Pisa<sup>™</sup> XL



#### GRANITE



RIVER



SIERRA



**XL UNIT** 12 x 16 x 6" 300 x 400 x 150 mm



CORNER 12 x 6 x 8" 300 x 150 x 200mm




COPING 12 x 12 x 3" 300 x 300 x 75mm



UNIVERSAL BASE UNIT 14 x 19 x 2" 355 x 482 x 55mm

137



### New

# Pisa<sup>®</sup> Smooth XL





GRANITE **NEW** 

FIELDSTONE **NEW** 




**XL TAPERED** 15<sup>3</sup>/<sub>4</sub> x 11<sup>7</sup>/<sub>8</sub> x 5<sup>7</sup>/<sub>8</sub>" 400 x 300 x 150 mm



**COPING** 15¾ x 12¾ x 3" 400 x 325 x 75 mm



**CORNER** 15<sup>3</sup>/<sub>4</sub> x 7<sup>7</sup>/<sub>8</sub> x 5<sup>7</sup>/<sub>8</sub>" 400 x 200 x 150 mm



# SienaEdge<sup>™</sup>



GRANITE

NOTE: Coping Unit can also act as a closed end unit with the unique patented locking mechanism.



**STANDARD / CORNER UNIT** 111/<sub>2</sub> x 39 x 7" 290 x 1000 x 180mm



**COPING** 11½ x 39 x 7" 290 x 1000 x 180mm



# SienaStone



NATURAL

STOCK UNITS



**COPING** 20 x 39 x 7¼" 500 x 1000 x 185mm SPECIAL ORDER



**STANDARD 925** 36½ x 39 x 7¼" 925 x 1000 x 185mm **SPECIAL ORDER PRODUCT** Minimum quantities may apply



**STANDARD 333** 13½ x 39 x 7¼" 330 x 1000 x 185 mm

**STANDARD 500** 20 x 39 x 7<sup>1</sup>/<sub>4</sub>" 500 x 1000 x 185mm **CORNER 90° (LEFT & RIGHT)** 20 x 39 x 7¼" 500 x 1000 x 185mm



# RomanPisa™



GRANITE



RIVER



SIERRA









**TAPERED** 8 x 12 x 6" 200 x 300 x 150mm



**PISA COPING** 12 x 12 x 3" 300 x 300 x 75mm



**LEDGESTONE COPING** 12 x 24 x 2<sup>3</sup>/4" 305 x 610 x 70mm



# Split'N Stack



#### GRANITE







SIERRA

#### WEDGE UNIT



8 x 8 x 4" 200 x 200 x 100mm



# RomanStack



GRANITE



RIVER



SIERRA

#### WEDGE UNIT



8 x 8 x 4" 200 x 200 x 100mm


# Firepits and Fire Features

Imagine flames crackling on a cool night, curling up under the stars with friends and family, and sipping a warm cup of hot chocolate. Soak up that sense of bliss from your backyard with a Unilock firepit!









#### HEAT DAMAGE PREVENTION

To ensure a long-lasting fire feature, direct exposure to extreme heat from an open flame should be avoided. Always construct fire features with a protective heat barrier such as a metal insert, refractory blocks or approved firebrick to prevent potential heat damage.

**NOTE:** Large fires and extreme heat are detrimental to concrete.

#### SUNSET FIREPIT KIT



**FIREPIT INSERT** Firepit kit comes with a firepit insert (sold separately) that fits securely into the firepit.

#### PRE-BUILT ELEMENTS





TUSCANY

BARCELONA SPECIAL ORDER

Pre-built elements are constructed of Brussels Dimensional System<sup>™</sup> with Copthorne<sup>®</sup> or Umbriano<sup>®</sup> accents. Speak to your contractor for more information.

# Outdoor Kitchens

There's nothing more fun than cooking al fresco. An outdoor kitchen is an entire, defined space dedicated to preparing meals among family and friends, but with a much livelier backdrop!





Learn about things to consider when designing your outdoor kitchen.








#### **Design Considerations**

Think about how you'll use the space, the outdoor appliances you need, the best location for a kitchen in your yard, and how it will weather in the elements over time.







From a practical side, an outdoor kitchen is an extension of your home's living and entertaining space, allowing you to make the most of your backyard.

### Water Features & Pillars

From fountains and ponds, to waterfalls and custom water features, these soothing additions are a popular way to enhance your landscape design.








Elevate your outdoor space to new heights by incorporating pillars into your design. With varying heights and functions, pillars create a sense of permanence and strength while also adding visual flair. Take it a step further by incorporating landscape lighting into your pillars to set the mood at night.

## Creative Ideas

The versatility of Unilock products provides a playground for your imagination. From mixing patterns and colors to create a custom sports court, to utilizing Unilock wall systems to beautify a utilitarian window well, the possibilities are endless!




This small storage area becomes a thing of beauty, paved with Unilock Beacon Hill<sup>™</sup> Smooth and Universal Coping treads.











Steps, Treads, Coping & Caps

From classic, fullnose shapes to pitched-face edges, our steps, treads and coping offer a wide variety of choices for the finishing touch on your project.

### Ledgestone<sup>™</sup> Steps, Coping & Pillar Cap

REALA<sup>™</sup> Cast from natural stone



BUFF

GREY



**48" STEP** 24 x 48 x 5%" 610 x 1220 x 150mm



**LARGE COPING** 13½ x 30 x 2¾" 343 x 762 x 70mm



**COPING** 12 x 24 x 2<sup>3</sup>/4" 305 x 610 x 70mm



LARGE CLOSED END COPING 13½ x 30 x 2¾" 343 x 762 x 70mm



**CLOSED END COPING** 12 x 24 x 2<sup>3</sup>/4" 305 x 610 x 70mm

FULLNOSE COPING

12 x 24 x 2<sup>3</sup>/8"

305 x 610 x 60mm



**24" PILLAR CAP** 24 x 24 x 4" 610 x 610 x 100mm







### Umbriano<sup>®</sup> Coping

#### NEW



FRENCH GREY



SUMMER WHEAT



MIDNIGHT SKY



GRENADA WHITE





**CHAMFERED** 14 x 24 x 2<sup>3</sup>/<sub>8</sub>" 360 x 600 x 60mm

**BULLNOSE** 14 x 24 x 2<sup>3</sup>/<sub>8</sub>" 360 x 600 x60mm

#### ENDURACOLOR



### Architectural Coping & Pillar Cap



BUFF



CHARCOAL



**COPING** 24 x 14 x 2<sup>3</sup>/<sub>8</sub>" 609 x 355 x 60mm



**PILLAR CAP** 28 x 28 x 3" 711 x 711 x 75mm

#### ENDURACOLOR



### Natural Stone Coping, Step & Pillar Cap



AUTUMN HARVEST SANDSTONE



IVORY SAND SANDSTONE



BLACK RIVER *LIMESTONE* 



INDIAN COAST SANDSTONE



STONE CLIFF GREY SANDSTONE



WINTER MIST LIMESTONE 36" (3') length coping only







**NATURAL EDGE** 48 x 12 x 2" 1200 x 300 x 50mm

**FULLNOSE EDGE** 48 x 12 x 2" 1200 x 300 x 50mm

**24" PILLAR CAP** 24 x 24 x 2<sup>1</sup>/<sub>2</sub>" 600 x 600 x 65mm

**4' LENGTH** 16 x 47<sup>1</sup>/<sub>4</sub> x 6" 410 x 1200 x 150mm

# Universal Coping



DARK CHARCOAL

#### **ENDURACOLOR**<sup>®</sup>



14 x 19 x 2<sup>3</sup>/4" 360 x 480 x 70mm

## SienaStone



GRANITE



NATURAL



**STEP** 20 x 48" x 7¼" 500 x 1200 x 185mm

### Fullnose<sup>™</sup> & Double Fullnose Coping

AVAILABLE IN BOTH ANTIQUED AND CLASSIC FINISH



LIMESTONE

SIERRA



SANDSTONE



**STANDARD** 6 x 12 x 2<sup>3</sup>/<sub>4</sub>" 150 x 300 x 70mm

**DOUBLE FULLNOSE** 6 x 12 x 2<sup>3</sup>/4" 150 x 300 x 70mm







### Pisa™ 12″ Coping



GRANITE



RIVER



SIERRA



12 x 12 x 3" 300 x 300 x 75mm





# Learn & Plan

Nothing ventured, nothing gained! Transform your hardscape ideas into bold, thrilling reality with the right help, knowledge and preparation. Unilock has the experts, the plans and the tools you need to succeed!







#### Come visit us in Rittman or Cincinnati

# UNILOCK Outdoor Idea Center

### See

An expansive display of Unilock products in a life-size outdoor setting

### Talk

To our knowledgeable staff and we'll help you create a plan to achieve the outdoor space you're dreaming about.



**FREE samples** of Unilock paver and wall products home with you.



Scan here for more information and a 3D virtual tour!

Please feel free to walk around and browse our Outdoor Idea Center at any time. Call 1-800-UNILOCK or visit Unilock.com for more details and staff hours.



Rittman Location 12560 Sheets Road Rittman, OH 44270 Cincinnati Location 8600 Southwest Parkway Harrison, OH 45030





3D Rendering Created with Uvision\* 3D Design Software



**Finished Project** 

While there are many contractors and designers who still prefer to draw by hand, more and more plans today are being created digitally and in 3D.

If you're having trouble imagining what your project will look like when it's complete, a 3D design can really help.

Speak to your contractor about how 3D design can help you visualize the possibilities for your project!

Connect with us online or by phone to find a qualified contractor who can prepare a 3D design for your project! Your one-stop shop for a wide variety of resources to help you kick-start your hardscape project, the Unilock way!

# Resources at Unilock.com

Throughout your project journey we know you'll have lots of questions, and our website has answers. From the hundreds of topics covered in our Knowledge Center, to design advice and inspiration, we're here to help far beyond your selection of Unilock products. We can even help you connect with a local installation contractor you can trust. Connect with us online or at 1-800-UNILOCK.



#### Knowledge Center

#### Design Advice







Unilock

Authorized

Contractors

Frequently Asked Questions



# Protect your Investment

Learn how to take care of your Unilock products to ensure that they stay beautiful and functional for years to come.

# Spring 🖲

While the majority of Unilock products require little maintenance, there are a number of preventative steps that can be performed each spring to ensure that your project keeps its pristine appearance throughout patio season.

Examine for "creep" – this is where pavers push out as a result of winter stress, traffic or edge restraint failure – as well as dips, deformations or stains. Should you discover any of these problems, they are fixable; speak to your contractor or reach out to us for solutions. Wash your paver surface with a simple soap and water solution and top up jointing material if necessary.



While the leaves changing colors in the fall is a beautiful sight, the stains they leave behind on pavers can be an eyesore. Clean any debris, and remove any planters, barbecues or furniture that may leave behind rust marks.



# Winter **\***

Metal blades on plows or shovels may scratch the surface of your pavers. It is recommended you use plastic shovels or protective plastic blades on your plows or snow blowers. Although Unilock products are resistant to de-icing salt, it is strongly advised to use calcium-based products or rock salt (sodium chloride) to melt ice.

**Note:** Avoid magnesium-based de-icing products as they are very aggressive and may cause damage to the surface of pavers.

#### STOP WEEDS BEFORE THEY TAKE ROOT

Weeds cannot grow in the soil directly beneath your pavers when a good base is placed. However, it is possible for dirt and weed seeds to blow in from the surrounding area and germinate if the joints are not kept full with jointing material.

**IN THE PAST** - Basic sand was the only jointing material available. Rain would erode the sand if it wasn't replaced frequently, leaving parts open to vegetation growth.

**TODAY** - There are new types of sand-stabilizing compounds and polymeric jointing materials that relieve homeowners of this maintenance worry.



Even the best materials can be spoiled by subpar installation and craftsmanship, which is why choosing the right contractor for the job is the most crucial decision for your project. Remember that the cheapest quote is rarely the best option, so make sure to ask the right questions.





#### NEED HELP FINDING A QUALIFIED CONTRACTOR?

Unilock Authorized Contractors have met our exacting standards for installation methods and business practices. Connect with us online, by phone or at one of our locations and we'll be happy to connect you with a contractor in your area who is guaranteed to do the job right.



Register online at Unilock.com and we'll match you with a Unilock Authorized Contractor in your area.

# 8 Tips for Choosing a Contractor



#### **1 WORKMANSHIP**

Ask to see completed projects from more than two years ago to see how their work holds up.

Are the curves of the project cut in a way that minimizes large gaps? Are small or awkward cuts minimized?

Have edge restraints been used and are they still in place?

How long does the contractor guarantee their work?

Has there been a warranty claim filed against the company in the past two years?

#### **2** SUB-CONTRACTING

Some contractors will hire other companies to perform parts of the work, like lighting and irrigation. Be sure to ask how these sub-contractors will be managed or vetted.



Scan here for a Project Planning Guide and helpful Contractor Checklist.

#### **3 EXPERIENCE**

How long has the contractor been installing pavers and walls?

Has the contractor installed projects in the past with the features you're considering?

#### **4 PREPARATION**

What are the contractor's base preparation methods?

What materials are used and why?

Is there a standard procedure for base preparation or will the contractor assess your site's unique needs?

#### **5 SCHEDULE**

How far in advance are projects being booked and how long might your project take?

What are the contractor's payment terms?

Do they require a deposit upfront to secure the timing of the project?

#### **5 DOCUMENTATION**

Does the contractor have the proper licensing for their work?

Does the contractor have liability insurance and are employees covered by Workers Compensation?

Will permits be required for the job and if so, who is responsible to secure them?

#### 7 COMPATIBILITY

Do you like this contractor? Can you trust them? Can you easily communicate and understand each other?

Will the person you're meeting be on site throughout the project or will someone else be your day-to-day point of contact?

Contact references to help understand how your contractor will operate throughout a project.

#### 8 DESIGN

Do they offer a design service? What is the cost for this?

Do they offer hand-drawn or 3D-rendered concept designs?

Are the contractor's designs something you would like for your project?

# Time to Break Ground



#### **1 EXCAVATION**

All outdoor projects should begin with the removal of grass and topsoil. The depth will be determined by two things:

- 1. Soil Type Sandier soil requires less excavation than clay-based soil.
- **2.** Use Patios and walkways, which take lighter loads should require less excavation than driveways and retaining walls, which require deeper excavation.

Depth of excavation can be reduced significantly if a layer of DriveGrid is placed at the bottom of the excavation before gravel gets placed. Loose subsoil should always be compacted prior to installing DriveGrid and gravel.

#### **2 GRAVEL BASE**

A gravel base will be poured into the excavated area. Ideally, this gravel base will need to be:

- > **Strong enough** to support the weight of anything placed on the surface.
- Free draining to allow water to escape the base and enter the subsoil. A perforated drain pipe in the gravel base may be necessary for retaining walls in order to direct water away from the wall's base.
- > **Extended** at least six inches beyond the finished paver surface's edges.
- **Compacted** in several layers, using the proper equipment.

#### **3 BEDDING LAYER**

On top of the firm gravel base, a 1" (25mm) layer of sand or tiny stone chips is spread out and smoothed. This layer enables the levelling or sloping of paver or wall units for drainage and smoothness.

Some contractors may recommend a poured concrete surface over a standard bedding layer, which is acceptable if the concrete is carefully poured and rests on a solid, well-drained base.

Note: Once concrete is poured, the height of paver or wall units can no longer be adjusted.



Learn about frequently used terms in the hardscape industry.



#### **4 RESTRAINT SYSTEM**

To prevent pavers from shifting, a concrete edge will be constructed or an edge restraint fixed with long metal spikes. For walls, adhesive can be used to secure rows of blocks together. Larger retaining walls may require geogrid every few layers to secure the wall into the soil that is being retained.

#### **5 JOINT MATERIAL**

There are three types of joint material to choose from:

**Basic Jointing Sand** – Years ago, this was the only joint material available. As it wears away, issues with weeds could arise. If you decide to choose basic sand, we advise using a joint stabilizing sealant and be ready to top up the sand as necessary.

**Polymeric Sand** – This special sand is blended with a binding ingredient to help it stay in place longer. However, it's not right for every project and needs to be installed with care to prevent hazing.

**Resin Sand** – Resin sands are the strongest jointing sand available, and have been proven to have the longest lifespan of any jointing sand. Different resin sands are available for various uses.


#### 6 SEALING

Unilock pavers will be durable with or without a sealer. Some homeowners may choose to apply a sealer to enhance paver color, while others choose to appreciate the color of the pavers as they are. If you decide to seal, be prepared to re-seal your pavers every 3-5 years.


#### **Factory-Sealed Products**

Elegance<sup>®</sup> pavers and Unilock<sup>®</sup> pavers manufactured with EasyClean<sup>™</sup> have been pre-sealed at the factory. To clean and brighten the surface at any time, a gentle power washing of the surface is recommended. If you wish to re-seal, wait a minimum of three years before applying sealant. Use only solvent-based sealants.

#### PAVER CONSTRUCTION



#### WALL CONSTRUCTION



# The Choice of Design Professionals

For decades, architects, landscape architects, and engineers have used the same Unilock products that are available to homeowners to design world-class commercial spaces across North America.



Creative Campus, Columbus OH Designer: MKSK Studios



Indianapolis Motor Speedway, Indianapolis, IN Designer: Browning Day Mullins Dierdorf

**Pier 4, Boston, MA** Designer: Mikyoung Kim Design





White Plains Public Library, White Plains, NY Designer: IQ Landscape Architects

# Our Quality Commitment



Unilock was the first concrete paver manufacturer in North America to offer a Lifetime Guarantee, and since then we have continued to stand behind it to ensure customers are completely satisfied with our products. With almost 2 billion stones in the ground, that's quite the commitment!

Our products are better and stronger than other brands. In fact, our internal standards of manufacturing in the USA and Canada far exceed industry standards set by ASTM (American Society for Testing and Materials) and CSA (Canadian Standards Association) and other European organizations.

#### LIFETIME GUARANTEE - RESIDENTIAL

Our Transferable Lifetime Guarantee warranties the structural integrity of Unilock concrete paving stones and retaining wall units when used in residential applications. It covers any structural failure or deterioration of the concrete unit resulting from normal use or from the reasonable application of sodium chloride (common rock salt used for de-icing). StoneMark<sup>™</sup> products have the same warranties as Unilock paving stones and retaining walls, but cannot be warrantied against damage resulting from de-icing products.

Any materials installed and maintained to our guidelines, and subject to normal wear, that prove defective, will be replaced without cost. Proof of purchase is required. Customers are encouraged to submit receipts to us as soon as their project is complete, using the Unilock Warranty Registration Form on our website (Unilock.com).

Purchasers need to ensure that the product they purchase is appropriate for their intended application; for example, only certain thicknesses of products are appropriate for driveways. Color matching of the replacement product and/or lost time cannot be guaranteed and labor costs related to installing replacement product is not included. Unilock reserves the right to seek a professional diagnosis and opinion to determine the exact cause of the product failure. If the failure falls within our warranty parameters, Unilock will replace the defective product.

**EXCLUSIONS** – Unfortunately, some things are beyond the control of Unilock, and are therefore not covered by this warranty. These include: naturally occurring efflorescence, hazing from polymeric jointing sand, scratching and chipping resulting from snow removal or construction equipment, damage caused by natural or un-natural disasters, or negligence by anyone other than Unilock. While EasyClean helps to increase a paver's resistance to staining from various substances, it does not make our products stain-proof nor does it resist every kind of stain. The Unilock warranty also does not cover deterioration or damage as a result of poor design or poor installation practices that are contrary to specifications as laid out by ICPI (Interlocking Concrete Pavement Institute) and the NCMA (National Concrete Masonry Association). For more information please visit www.icpi.org and www.ncma.org. Additionally, please refer to the Maintenance, Color and Installation Advisories.

#### MAINTENANCE ADVISORY

#### 1. Cleaning and Sealing

As with anything that is outdoors, Unilock products are subject to harsh weather, dust, acid rain, leaf stains, water stains and general wear from foot or vehicular traffic. Therefore, periodic cleaning using environmentally safe detergents designed for cleaning concrete is recommended to maintain a bright, fresh appearance.


To make subsequent cleaning easier and more effective, a concrete sealer can be applied to new or cleaned products to help prevent the penetration of substances that can cause stains.

There are many types of concrete cleaners and sealers on the market. Always read the instructions carefully before using the product to make sure that it will function as expected. Testing first, in a small unobtrusive area, is always a good idea to ensure the results are acceptable. Consult your local hardscape dealer to find the products best suited for your paver or wall installation.

#### 2. Winter Maintenance

Snow removal by way of metal blades on plows or shovels will scratch and chip the surface of pavers, causing permanent damage. To mitigate this risk, metal snow clearing blades must always have a polyurethane or rubber cutting edge attached when plowing pavers.

De-icing Salts - The use of de-icing products on paver surfaces is important for safety and to help mitigate snow accumulation. Most de-icing products will have some effect on concrete, even if the product label indicates that it



#### COLOR ADVISORY

#### 1. Selection

Due to the inherently variable nature of printed materials and digital monitors, Unilock cannot guarantee that products will match the color of printed or online images. Therefore, when making final product selections, decisions should be made based on actual stones which are readily available from Unilock, Authorized Contractors or Authorized Dealers. Most Unilock products are not comprised of a single color, but rather contain blended colors for a more natural appearance. This means that there will be significant color variance from stone to stone, so purchasers should view multiple units together to get a more accurate impression of the overall color. *Note:* Unilock Natural Stone variations are outside the control of Unilock. Purchasers of natural stone must be willing to accept this inherent variability.

#### 2. Pre-installation checking

Always check the label to ensure that the Unilock product delivered to your project is the product and color ordered. If there is a discrepancy, or if the product inside the packaging doesn't appear to be correct, contact your hardscape dealer before installing any pavers or wall units. If the product is installed, it indicates your acceptance of the products as delivered.

#### 3. Blending

If the project requires more than one bundle of product it's always a good idea to draw product from several bundles when installing, as this ensures that any variation between bundles will be seamlessly integrated in the project. When bundles are from different production runs, random selection from multiple bundles is even more important.

#### 4. Efflorescence

Efflorescence is a naturally occurring process that may appear as a white or light grey powder on the surface of concrete, clay or natural stone. It is temporary, and will disappear over time. However, if it is bothersome, an efflorescence cleaner can be used to remove it. There is no way to predict or prevent efflorescence. Because it does not compromise the structural integrity of the product, it is not covered by Unilock product warranties.

#### INSTALLATION ADVISORY

#### 1. Construction Residue

While a certain amount of dirt on pavers and walls is inevitable during the construction phase, installers are strongly encouraged to clean as they go as construction residue can embed in the surface and become difficult to remove. The slurry produced during wet-saw cutting is particularly stubborn to clean if allowed to dry on the surface of pavers. Unilock warranties do not cover stains caused by a failure to remove construction residue.

#### 2. Polymeric Haze

Surface hazing caused by polymeric jointing sand is not the responsibility of Unilock. Polymeric jointing sand should only be installed by an experienced and knowledgeable contractor. Any sand that is left on the surface prior to activation will result in a haze that is very difficult and time-consuming to remove. Only the highest quality, brand name polymeric sand that is guaranteed by the manufacturer should be used.

#### 3. Compaction Damage

Both smooth and textured paver surfaces can be scratched by compaction equipment used to 'flatten' a new paver installation. Therefore, metal plate compactors must be fitted with a polyethylene mat to protect the paver surface from becoming scratched, or a superior option is to use a rubber-roller compactor instead. Damage to product surfaces caused by failure to follow these instructions is not covered by Unilock product warranties.

#### FIRE PIT WARNING

Wood-burning fire pits must be lined with a proper metal insert or refractory (fire-rated) brick to protect the concrete components from extreme exposure to heat. Extreme heat on a concrete surface may affect the structural integrity of the concrete and can be dangerous. The floor of the fire pit should always be constructed using refractory brick or a sand bed. For your safety, always use a spark screen over the fire.



Visit Unilock.com to register for your Transferable Lifetime Guarantee.

# Index

#### PAVERS AND SLABS

Arcana <sup>™</sup>	
Artline™	87
Beacon Hill <sup>™</sup> Flagstone	
Beacon Hill Smooth	
Boulevard™	
Bristol Valley®	
Brussels Block <sup>®</sup>	
Camelot™	
Copthorne®	119
Courtstone®	
Eco-Line <sup>®</sup>	
Eco-Optiloc™	
Eco-Priora™	
Eco-Promenade <sup>®</sup>	
Hex™	
Holland Premier <sup>™</sup>	
Hollandstone <sup>™</sup>	
ll Campo°	
Mattoni™	
Natural Stone	103
Porcelain Tile	
Promenade Plank Paver	
Promenade Premier	
Richcliff®	107
Series™	
Skyline™	100
Soreno <sup>™</sup>	
Thornbury™	
Town Hall <sup>®</sup>	115
Treo <sup>®</sup> Premier	
Treo Smooth	
Tribeca Cobble™	
Umbriano <sup>®</sup> 60mm	
Umbriano <sup>®</sup> 70mm	
Westport™	

#### RETAINING WALLS AND VERTICALS

Brussels Dimensional System <sup>™</sup>	
Dimensional Smooth <sup>™</sup>	
Estate Wall™	
Lineo <sup>™</sup> Dimensional Stone	131
Pisa™	
Pisa XL	
Pisa Smooth XL	
RomanPisa <sup>™</sup>	141
RomanStack <sup>™</sup>	
SienaEdge <sup>™</sup>	
SienaStone™	140
SplitN'Stack <sup>™</sup>	
U-Cara®	124-127
U-Cara Modular System	
U-Cara Wall Mount System	

#### STEPS, TREADS, COPING & CAPS

Architectural Coping & Cap	153
Brussels Fullnose <sup>™</sup>	155
Double Fullnose <sup>™</sup>	155
Ledgestone <sup>™</sup>	152
Natural Stone	154
SienaStone™	154
Pisa	155
Umbriano Coping	153
Universal Coping	154

#### **TOPICS OF INTEREST**

Borders & Accents	
Coatings & Finishes	
Classic	
ColorFusion™	
Construction Process	
Contractor Tips	
Coping	150-155
Coping Pairings Guide	
EnduraColor™	
Elegance™	
EasyClean™	
Fire Features & Firepits	
Joint Material	
Laying Patterns	
Maintenance	
Outdoor Idea Center	
Outdoor Kitchens	
Paver Reference Guide	
Permeable Pavers	
Pillars	
Reala™	
Retaining Walls	
Steps	150-155
Ultima™	
Unilock Resources	
Wall Reference Guide	
Water Features	

Unilock Ltd. and Hengestone Holdings, Inc. are the owners or authorized users of all trademarks used in this publication unless otherwise specified. Umbriano<sup>\*</sup> are trademarks of Metten Stein + Design GmbH & Co KG used under license by Unilock<sup>\*</sup>. Measurements throughout this portfolio are nominal. Not all products shown are available at all Unilock locations. Log on to Unilock.com for availability. Colors shown in this catalog should be used only as a guide. Colors should always be chosen from actual samples. Contact your local Unilock representative for color availability in your area.

#### COVER

Pavers: Arcana<sup>™</sup> with Mattoni<sup>™</sup> accent rug Walls: U-Cara<sup>®</sup> Smooth with Architectural Coping

©2023 Hengestone Holdings, Inc.







Of in O D @Unilock D @UnilockLife

FOLLOW US



**BOSTON** (508)278-4536

**CHICAGO** (630)892-9191

**MILWAUKEE** (262)742-3890

**KANSAS** (913) 417-7985

**MICHIGAN** (248)437-7037

**NEW YORK** (845)278-6700

**MID-ATLANTIC** (202)798-2060

**ONTARIO** (416)646-9000

**CINCINNATI / KY / TN** (513) 202-0219

OHIO/WESTERN PA /WNY&CNY (330)927-4000

UNILOCK.COM 1-800-UNILOCK

